


JQ 系列 — 超薄氣缸 固定架

配件訂購碼

● 配件訂購碼



● 附件選配

氣缸型號			安裝附件				鏈接附件				感應開關	
			LB	EA	FB	CB	I	Y	F	U	CS-9D	CS-9B
JQ	內牙型	標準型	●	●	●	●			X		X	
		附磁型	●	●	●	●			X		●	
	外牙型	標準型	●	●	●	●			●		X	
		附磁型	●	●	●	●			●		●	
JSQ JTQ	內牙型	標準型	●	●	●	●			X		X	
		附磁型	●	●	●	●			X		●	
	外牙型	標準型	●	●	●	●			●		X	
		附磁型	●	●	●	●			●		●	
JQD	內牙型	標準型	●	●	●	X			X		X	
		附磁型	●	●	●	X			X		●	
	外牙型	標準型	●	●	●	X			●		X	
		附磁型	●	●	●	X			●		●	
JQJ	內牙型	標準型	●	●	●	X			X		X	
		附磁型	●	●	●	X			X		●	
	外牙型	標準型	●	●	●	X			●		X	
		附磁型	●	●	●	X			●		●	

● 附件材質


氣缸型號	附件	安裝附件				接頭			
		FA	FB	CB	LB	Y	I	F	U
12~16	鋁合金	鋁合金		鋁合金	SPCC	S45C	S45C		
20,25									
32~100		灰口鑄鐵		鑄銅		鑄銅			

JQ 系列 — 超薄氣缸 固定架




附件:外觀圖形尺寸

● 型號 : FA / FB

Ø12~25



Ø32~100



代號 行程 缸徑	標準型				附磁型		M	N	N1	FD	FT	FV	FX	FZ
	A		C		A	C								
	≤50	≥60	≤50	≥60										
12	20.5	—	17	—	31.5	28	15.5	4.5	7.5	4.5	5.5	25	45	55
16	22	—	18.5	—	34	30.5	20	4.5	7.5	4.5	5.5	30	45	55
20	24	34	19.5	29.5	36	31.5	25.5	6.5	10.5	6.5	8	39	48	60
25	27.5	37.5	22.5	32.5	37.5	32.5	28	6.5	10.5	6.5	8	42	52	64
32	30	40	23	33	40	33	34	6.5	10.5	6.5	8	48	56	65
40	36.5	46.5	29.5	39.5	46.5	39.5	40	6.5	10.5	6.5	8	54	62	72
50	38.5	48.5	30.5	40.5	48.5	40.5	50	8.5	13.5	6.5	9	67	76	89
63	44	54	36	46	54	46	60	10.5	16.5	9	9	80	92	108
80	53.5	63.5	43.5	53.5	63.5	53.5	77	12.5	18.5	11	11	99	116	134
100	65	75	53	63	75	63	94	12.5	18.5	11	11	117	136	154



JQ 系列 — 超薄氣缸 固定架

附件:外觀圖形尺寸

● 型號 : LB

Ø12~25

Ø32~100




代號 行程 缸徑	C			M	N	X	LD	LH	LT	LX	LY	LZ
	標準型		附磁型									
	≤50	≥60										
12	17	—	28	15.5	4.5	8	4.5	17	2	34	29.5	44
16	18.5	—	30.5	20	4.5	8	4.5	19	2	38	33.5	48
20	19.5	29.5	31.5	25.5	6.5	9.2	6.5	24	3	48	42	62
25	22.5	32.5	32.5	28	6.5	10.7	6.5	26	3	52	46	66
32	23	33	33	34	6.5	11.2	6.5	13	3	57	20	71
40	29.5	39.5	39.5	40	6.5	11.2	6.5	13	3	64	20	78
50	30.5	40.5	40.5	50	8.5	12.2	8.5	14	3	79	22	95
63	36	46	46	60	10.5	13.7	10.5	16	3	95	26	113
80	43.5	53.5	53.5	77	13	16.5	13	20.5	4.5	118	32	140
100	53	63	63	94	13	23	13	24	6	137	36	162

※ 註：未註明尺寸與標準型相同。外牙型尺寸請參考本頁上部內容。

JQ 系列 — 超薄氣缸 固定架

附件:外觀圖形尺寸

● 型號 : CB



缸徑/符號	標準型				附磁型		E	M	N	CD	CU	CW	CX	CZ
	A		C		A	C								
行程	≤50	≥60	≤50	≥60	A	C								
12	20.5	—	17	—	31.5	28	25	15.5	4.5	5	20	14	5.3	9.8
16	22	—	18.5	—	34	30.5	29	20	4.5	5	21	15	6.8	11.8
20	24	34	19.5	29.5	36	31.5	36	25.5	6.5	8	27	18	8.3	15.8
25	27.5	37.5	22.5	32.5	37.5	32.5	40	28	6.5	10	30	20	10.3	19.8
32	30	40	23	33	40	33	45.5	34	6.5	10	30	20	18.3	35.8
40	36.5	46.5	29.5	39.5	46.5	39.5	53.5	40	6.5	10	32	22	18.3	35.8
50	38.5	48.5	30.5	40.5	48.5	40.5	64.5	50	8.5	14	42	28	22.3	43.8
63	44	54	36	46	54	46	77.5	60	10.5	14	44	30	22.3	43.8
80	53.5	63.5	43.5	53.5	63.5	53.5	98.5	77	12.5	18	56	38	28.3	55.8
100	65	75	53	63	75	63	117.5	94	12.5	22	67	45	32.3	63.8

※ 註：上表中A、C值是JQ系列之值，其餘系列的A、C值請參考相應內容。