


PRU / PRF 系列 — 機械接合式無桿氣缸 固定架

附屬配件外觀圖形尺寸

L 型固定腳架 (PRU)


● PRU Ø 16 ~ Ø 32



單位：mm


缸徑	代號	AB	AH	AT	AU	AV	SA	TR	UH	ZT
Ø16		3.6	45	1.6	10	4	150	18	26	75
Ø20		4.6	56	1.6	11	5	182	24	35	91
Ø25		5.8	68	2.5	16	6	232	27	39	116
Ø32		6.6	89.8	3	18	8	286	36	50	143
Ø40		9	99	24	12.5	11.5	325	30	68	162.5

● PRU Ø 40



L 型固定腳架 (PRF)


● PRF Ø 10 ~ Ø 32




單位：mm

缸徑	代號	AB	AH	AT	AU	AV	SA	TR	UH	ZT
Ø10		3.6	29.7	1.6	10	4	129	18	26	64.5
Ø16		3.6	38	1.6	10	4	150	18	26	75
Ø20		4.6	47	1.6	11	5	182	24	35	91
Ø25		5.8	53	2.5	16	6	232	27	39	116
Ø32		6.6	68	3	18	8	286	36	50	143
Ø40		9	82	24	12.5	11.5	325	30	68	162.5
Ø50		9	97	30	12.5	11.5	350	40	86	175

● PRF Ø 40



● PRF Ø 50




PRU / PRF 系列 — 機械接合式無桿氣缸 固定架

附屬配件外觀圖形尺寸



浮動連接支架

● PRU 系列



● PRU Ø16 ~ Ø32


● PRU Ø40



單位：mm



缸徑	代號	A	B	C	D	E	F	G	H	I	J	K	L	M	N
Ø16		44	5	28	53	25	13	2	20	3	10	4.5	-	49	76
Ø20		52.5	5	37	63	34	14	2	26	3	15	4.5	-	59	96
Ø25		64.5	8	42	78.5	37	20	3	32	5	16	5.5	-	72.5	120
Ø32		83	12	55	102.5	44	30	4	60	8	40	6.6	-	94	160
Ø40		91.5	12	84	114.5	70	32	6	90	8	75	7	55	103.5	150

● PRF 系列



● PRF Ø16 ~ Ø32

● PRF Ø40 ~ Ø50



單位：mm


缸徑	代號	A	B	C	D	E	F	G	H	I	J	K	L
Ø10		34.2	5	28	43.7	25	13	2	20	3	10	4.5	-
Ø16		42.5	5	28	52	25	13	2	20	3	10	4.5	-
Ø20		48.5	5	37	57.5	34	14	2	26	3	15	4.5	-
Ø25		60.2	8	42	74.2	37	20	3	32	5	16	5.5	-
Ø32		78	12	55	97.5	44	30	4	60	8	40	6.6	-
Ø40		85.5	12	84	108.5	70	32	6	90	8	75	7	55
Ø50		99.5	12	55	122.5	70	32	6	90	8	75	7	55

PRU / PRF 系列 — 機械接合式無桿氣缸 固定架

附屬配件外觀圖形尺寸

緩衝裝置

● PRU Ø16 ~ Ø40




單位：mm

缸徑	代號	A	B	C	D	E	F	G	H
Ø16		43	44.4	8	20	22	10	M10×1.0P	37
Ø20		52	51.9	10.5	24.8	24	10	M10×1.0P	37
Ø25		57	64.7	17.5	26.6	30	15	M12×1.0P	37.5
Ø32		69	71.4	11.5	33.9	28	15	M14×1.5P	52
Ø40		80	91.4	18.9	41	34	20	M20×1.5P	52

接線型式

單位：mm



CS-95

機種	CS - 95	
氣缸缸徑	動作範圍 (F)	感應差 (R)
Ø16	10	1
Ø20	9	1.2
Ø25	9	1.2
Ø32	13	1.2
Ø40	10.5	1.5