


全銅接頭 系列

外觀圖形尺寸 / MPC、MPCF

MPC 系列 全銅螺紋直通


單位：mm



型式	ØD	R	L1	L2	ØD1	✂
MPC 04 - M5	4	M5	3.5	20.2	8	8
MPC 04 - 01	4	R 1/8	7.5	19	8.5	10
MPC 04 - 02	4	R 1/4	9.5	20.5	8.5	14
MPC 06 - M5	6	M5	3.5	24.7	12	12
MPC 06 - 01	6	R 1/8	7.5	24.7	12	12
MPC 06 - 02	6	R 1/4	9.5	24.5	12	14
MPC 06 - 03	6	R 3/8	10.5	23	12	17
MPC 06 - 04	6	R 1/2	13.5	26	12	21
MPC 08 - 01	8	R 1/8	7.5	28.7	14	14
MPC 08 - 02	8	R 1/4	9.5	27.7	14	14
MPC 08 - 03	8	R 3/8	10.5	22.7	14	17
MPC 08 - 04	8	R 1/2	13.5	26	14	21
MPC 10 - 01	10	R 1/8	7.5	31	16	16
MPC 10 - 02	10	R 1/4	9.5	33	16	16
MPC 10 - 03	10	R 3/8	10.5	27	16	17
MPC 10 - 04	10	R 1/2	13.5	26	16	21
MPC 12 - 02	12	R 1/4	9.5	35	18	19
MPC 12 - 03	12	R 3/8	10.5	31.7	18	19
MPC 12 - 04	12	R 1/2	13.5	26.2	18	21

MPCF 系列 全銅內螺紋直通

單位：mm




型式	ØD	G	L1	L2	ØD1	✂
MPCF 04 - M5	4	M5	5.5	20	8	8
MPCF 04 - 01	4	G 1/8	8.5	23	8.5	14
MPCF 04 - 02	4	G 1/4	11	25.5	8.5	17
MPCF 06 - M5	6	M5	5.5	25	12	12
MPCF 06 - 01	6	G 1/8	8.5	28	12	14
MPCF 06 - 02	6	G 1/4	11	30.5	12	17
MPCF 06 - 03	6	G 3/8	12	31.5	12	21
MPCF 06 - 04	6	G 1/2	14	33.5	12	24
MPCF 08 - 01	8	G 1/8	8.5	29	14	14
MPCF 08 - 02	8	G 1/4	11	31.5	14	17
MPCF 08 - 03	8	G 3/8	12	32.5	14	21
MPCF 08 - 04	8	G 1/2	14	34.5	14	24
MPCF 10 - 01	10	G 1/8	8.5	31	16	17
MPCF 10 - 02	10	G 1/4	11	33.5	16	17
MPCF 10 - 03	10	G 3/8	12	34.5	16	21
MPCF 10 - 04	10	G 1/2	14	36.5	16	24
MPCF 12 - 02	12	G 1/4	11	35	18	19
MPCF 12 - 03	12	G 3/8	12	36	18	21
MPCF 12 - 04	12	G 1/2	14	38	18	24

全銅接頭 系列

外觀圖形尺寸 / MPL、MPB

MPL 系列 全銅 L 型螺紋彎頭


單位：mm



型式	ØD	R	L1	L2	L3	ØD1	⚡
MPL 04 - M5	4	M5	3.5	16	18.5	8.5	10
MPL 04 - M6	4	M6	4	16.5	18.5	8.5	10
MPL 04 - 01	4	R1/8	7.5	19.5	18.5	8.5	10
MPL 04 - 02	4	R1/4	9.5	21.5	18.5	8.5	14
MPL 06 - M5	6	M5	3.5	16	23.5	12	10
MPL 06 - M6	6	M6	4	16.5	23.5	12	10
MPL 06 - 01	6	R1/8	7.5	19.5	23.5	12	10
MPL 06 - 02	6	R1/4	9.5	21.5	23.5	12	14
MPL 06 - 03	6	R3/8	10.5	23.5	23.5	12	17
MPL 06 - 04	6	R1/2	13.5	26.5	23.5	12	21
MPL 08 - 01	8	R1/8	7.5	21	25.7	14	12
MPL 08 - 02	8	R1/4	9.5	23	25.7	14	14
MPL 08 - 03	8	R3/8	10.5	24.5	25.7	14	17
MPL 08 - 04	8	R1/2	13.5	27.5	25.7	14	21
MPL 10 - 01	10	R1/8	7.5	22.5	29	16	14
MPL 10 - 02	10	R1/4	9.5	24.5	29	16	14
MPL 10 - 03	10	R3/8	10.5	26	29	16	17
MPL 10 - 04	10	R1/2	13.5	29	29	16	21
MPL 12 - 02	12	R1/4	9.5	26	30.7	18	17
MPL 12 - 03	12	R3/8	10.5	27	30.7	18	17
MPL 12 - 04	12	R1/2	13.5	30	30.7	18	21

MPB 系列 全銅螺紋正三通

單位：mm




型式	ØD	R	L1	L2	L3	ØD1	⚡
MPB 04 - M5	4	M5	3.5	16	37	8.5	10
MPB 04 - 01	4	R1/8	7.5	19.5	37	8.5	10
MPB 04 - 02	4	R1/4	9.5	21.5	37	8.5	14
MPB 06 - M5	6	M5	3.5	17	44	12	10
MPB 06 - 01	6	R1/8	7.5	20.5	44	12	10
MPB 06 - 02	6	R1/4	9.5	22.5	44	12	14
MPB 06 - 03	6	R3/8	10.5	24.5	44	12	17
MPB 06 - 04	6	R1/2	13.5	27.5	44	12	21
MPB 08 - 01	8	R1/8	7.5	21.5	50.5	14	12
MPB 08 - 02	8	R1/4	9.5	23.5	50.5	14	14
MPB 08 - 03	8	R3/8	10.5	25	50.5	14	17
MPB 08 - 04	8	R1/2	13.5	26	50.5	14	21
MPB 10 - 01	10	R1/8	7.5	23	64	16	14
MPB 10 - 02	10	R1/4	9.5	25	64	16	14
MPB 10 - 03	10	R3/8	10.5	26.5	64	16	17
MPB 10 - 04	10	R1/2	13.5	29.5	64	16	21
MPB 12 - 02	12	R1/4	9.5	26.5	66.5	18	17
MPB 12 - 03	12	R3/8	10.5	27.5	66.5	18	17
MPB 12 - 04	12	R1/2	13.5	30.5	66.5	18	21

全銅接頭 系列

外觀圖形尺寸 / MPD、MPU

MPD 系列 全銅螺紋側三通


單位：mm



型式	ØD	R	L1	L2	L3	L4	ØD1	
MPD 04 - M5	4	M5	3.5	16.5	17.5	34	8.5	10
MPD 04 - 01	4	R 1/8	7.5	20	17.5	37.5	8.5	10
MPD 04 - 02	4	R 1/4	9.5	22	17.5	39.5	8.5	14
MPD 06 - M5	6	M5	3.5	16.5	25	41.5	12	10
MPD 06 - 01	6	R 1/8	7.5	20	25	45	12	10
MPD 06 - 02	6	R 1/4	9.5	22	25	47	12	14
MPD 06 - 03	6	R 3/8	10.5	24	25	49	12	17
MPD 06 - 04	6	R 1/2	13.5	27	25	52	12	21
MPD 08 - 01	8	R 1/8	7.5	21.5	27.2	48.7	14	12
MPD 08 - 02	8	R 1/4	9.5	23.5	27.2	50.7	14	14
MPD 08 - 03	8	R 3/8	10.5	25	27.2	52.2	14	17
MPD 08 - 04	8	R 1/2	13.5	26	27.2	53.2	14	21
MPD 10 - 01	10	R 1/8	7.5	23	32	55	16	14
MPD 10 - 02	10	R 1/4	9.5	25	32	57	16	14
MPD 10 - 03	10	R 3/8	10.5	26.5	32	58.5	16	17
MPD 10 - 04	10	R 1/2	13.5	29.5	32	61.5	16	21
MPD 12 - 02	12	R 1/4	9.5	26.5	33.2	59.7	18	17
MPD 12 - 03	12	R 3/8	10.5	27.5	33.2	60.7	18	17
MPD 12 - 04	12	R 1/2	13.5	30.5	33.2	63.7	18	21

MPU 系列 全銅直通

單位：mm




型式	ØD	ØD1	ØD2	ØD3	L
MPU 04	4	4	8.5	8.5	30.3
MPU 06	6	6	12	12	39
MPU 08	8	8	14	14	41.4
MPU 10	10	10	16	16	45.3
MPU 12	12	12	18	18	49
MPU 06 - 04	6	4	8.5	12	35
MPU 08 - 06	8	6	12	14	40.3
MPU 10 - 08	10	8	14	16	43.3
MPU 12 - 10	12	10	16	18	47

全銅接頭 系列

外觀圖形尺寸 / MPV、MPE、MPZ

MPV 系列 全銅彎頭


單位 : mm



型 式	ØD	ØD1	L
MPV 04	4	8.5	18.5
MPV 06	6	12	25
MPV 08	8	14	27.5
MPV 10	10	16	32
MPV 12	12	18	33.2

MPE 系列 全銅正三通


單位 : mm



型 式	ØD	ØD1	L1	L2
MPE 04	4	8.5	35	17.5
MPE 06	6	12	50	25
MPE 08	8	14	54.4	27.2
MPE 10	10	16	64	32
MPE 12	12	18	66.4	33.2

MPZ 系列 全銅四通

單位 : mm




型 式	ØD	ØD1	L
MPZ 04	4	8.5	35
MPZ 06	6	12	48.5
MPZ 08	8	14	54
MPZ 10	10	16	58
MPZ 12	12	18	63.5

全銅接頭 系列

外觀圖形尺寸 / MPM、MPH、MSC

MPM 系列 全銅隔板直通


單位 : mm



型式	ØD	ØD1	L	L1(Max)	M	
MPM 04	4	8.5	30.3	8	M10x1	14
MPM 06	6	12	39	13	M14x1	17
MPM 08	8	14	41.4	14	M16x1	19
MPM 10	10	16	45.3	13	M18x1	21
MPM 12	12	18	49	18	M20x1	24

MPH 系列 全銅外六角接頭


單位 : mm



型式	ØD	R	L1	L2	L3	ØD1	ØD2	H	
MPH 04 - 01	4	R 1/8	7.5	15.5	26.5	8.5	13	22	12
MPH 04 - 02	4	R 1/4	9.5	17.5	30	8.5	16.5	23.5	14
MPH 06 - 01	6	R 1/8	7.5	15.5	26.5	12	13	26.5	12
MPH 06 - 02	6	R 1/4	9.5	17.5	30	12	16.5	27.5	14
MPH 06 - 03	6	R 3/8	10.5	19	32.5	14	21	31	19
MPH 08 - 01	8	R 1/8	7.5	15.5	26.5	14	13	27.5	12
MPH 08 - 02	8	R 1/4	9.5	17.5	30	14	16.5	30	14
MPH 08 - 03	8	R 3/8	10.5	19	32.5	14	21	32	19
MPH 08 - 04	8	R 1/2	13.5	24	39	14	27	35	24
MPH 10 - 01	10	R 1/8	7.5	16.5	26.5	16	13	30	12
MPH 10 - 02	10	R 1/4	9.5	17.5	30	16	13	31	14
MPH 10 - 03	10	R 3/8	10.5	19	32.5	16	21	35	19
MPH 10 - 04	10	R 1/2	13.5	24	39	16	27	37	24

MSC 系列 全銅節流閥標準型

單位 : mm




型式	ØD	R	L1	L2	L3(Max)	ØD1	ØD2	H	
MSC 04 - 01	4	R 1/8	6.4	15	43	8.5	13	22	12
MSC 04 - 02	4	R 1/4	9	17	48	8.5	16.5	23.5	14
MSC 06 - 01	6	R 1/8	6.4	15	43	12	13	26.5	12
MSC 06 - 02	6	R 1/4	9	17	48	12	16.5	27.5	14
MSC 06 - 03	6	R 3/8	10.5	20	53	12	21	31	19
MSC 08 - 01	8	R 1/8	6.4	15	43	14	13	27.5	12
MSC 08 - 02	8	R 1/4	9	17	48	14	16.5	30	14
MSC 08 - 03	8	R 3/8	10.5	20	53	14	21	32	19
MSC 08 - 04	8	R 1/2	14	26	61	14	27	35	24
MSC 10 - 01	10	R 1/8	6.4	16	43	16	13	30	12
MSC 10 - 02	10	R 1/4	9	17	48	16	16.5	31	14
MSC 10 - 03	10	R 3/8	10.5	20	53	16	21	35	19
MSC 10 - 04	10	R 1/2	14	26	61	16	27	37	24

全銅接頭 系列

外觀圖形尺寸 / MPMF

MPMF 系列 全銅隔板內螺紋直通

單位 : mm



型 式	ØD	G	L	L1	L2	ØD1	¹	²	M
MPMF 04 - 01	4	G 1/8	23	8.5	6	8.5	14	14	M10x1
MPMF 04 - 02	4	G 1/4	25.5	11	6	8.5	17	14	M10x1
MPMF 06 - 01	6	G 1/8	28	8.5	7	12	17	17	M14x1
MPMF 06 - 02	6	G 1/4	30.5	11	7	12	17	17	M14x1
MPMF 06 - 03	6	G 3/8	31.5	12	7	12	21	17	M14x1
MPMF 08 - 01	8	G 1/8	29	8.5	7.5	14	19	19	M16x1
MPMF 08 - 02	8	G 1/4	31.5	11	7.5	14	19	19	M16x1
MPMF 08 - 03	8	G 3/8	32.5	12	7.5	14	21	19	M16x1
MPMF 08 - 04	8	G 1/2	34.5	14	7.5	14	24	19	M16x1
MPMF 10 - 01	10	G 1/8	31	8.5	9.5	16	21	21	M18x1
MPMF 10 - 02	10	G 1/4	33.5	11	9.5	16	21	21	M18x1
MPMF 10 - 03	10	G 3/8	34.5	12	9.5	16	21	21	M18x1
MPMF 10 - 04	10	G 1/2	36.5	14	9.5	16	24	21	M18x1
MPMF 12 - 02	12	G 1/4	35	11	10	18	24	24	M20x1
MPMF 12 - 03	12	G 3/8	36	12	10	18	24	24	M20x1
MPMF 12 - 04	12	G 1/2	38	14	10	18	24	24	M20x1